AMA Code of Medical Ethics

2.1.1 Informed Consent

Informed consent to medical treatment is fundamental in both ethics and law. Patients have the right to receive information and ask questions about recommended treatments so that they can make well-considered decisions about care. Successful communication in the patient-physician relationship fosters trust and supports shared decision making. Transparency with patients regarding all medically appropriate options of treatment is critical to fostering trust and should extend to any discussions regarding who has access to patients' health data and how data may be used.

The process of informed consent occurs when communication between a patient and physician results in the patient's authorization or agreement to undergo a specific medical intervention. In seeking a patient's informed consent (or the consent of the patient's surrogate if the patient lacks decision-making capacity or declines to participate in making decisions), physicians should:

- (a) Assess the patient's ability to understand relevant medical information and the implications of treatment alternatives and to make an independent, voluntary decision.
- (b) Present relevant information accurately and sensitively, in keeping with the patient's preferences for receiving medical information. The physician should include information about:
 - (i) the diagnosis (when known);
 - (ii) the nature and purpose of recommended interventions;
 - (iii) the burdens, risks, and expected benefits of all options, including forgoing treatment.
- (c) Document the informed consent conversation and the patient's (or surrogate's) decision in the medical record in some manner. When the patient/surrogate has provided specific written consent, the consent form should be included in the record.

In emergencies, when a decision must be made urgently, the patient is not able to participate in decision making, and the patient's surrogate is not available, physicians may initiate treatment without prior informed consent. In such situations, the physician should inform the patient/surrogate at the earliest opportunity and obtain consent for ongoing treatment in keeping with these guidelines.

AMA Principles of Medical Ethics: I,II,V,VIII